

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30	lpc protocol or (low pin count) protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/21 07:37
L6	5	(lpc or (low pin count)) same (removable near3 (media or storage or memory or medium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/21 07:40
L7	211	(lpc or (low pin count)) and (removable near3 (media or storage or memory or medium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/21 07:44
L8	789	(memory) near6 (unique or individual or exclusive) near6 (pin or pad or lead or contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/21 07:48
L10	269	(memory) near3 (unique or individual or exclusive) near3 (pin or pad or lead or contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/21 07:48
L11	256	(memory) near3 (unique or individual) near3 (pin or pad or lead or contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/21 07:48
L12	142	(memory) near3 (unique or individual) near3 (pin or lead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/21 07:51
L14	15	(memory) near3 (unique or individual) near3 (pin or lead) and (memory card or pc card or smart card or memory stick or ic card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/21 07:51
S1	90	lasser.in.	US-PGPUB; USPAT	ADJ	ON	2005/07/15 08:16

S4	165	MENAHM.in.	US-PGPUB; USPAT	ADJ	ON	2005/07/14 16:39
S5	23	S1 and S4	US-PGPUB; USPAT	ADJ	ON	2005/07/14 16:40
S6	1	(memor\$3 and boot).clm. and S5	US-PGPUB; USPAT	ADJ	ON	2005/07/14 16:41
S9	30122	(memory or storage) and (boot\$3 or bootstrap\$4) and (operating system or OS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 08:21
S10	8101	(memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 08:25
S11	396	((memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS)) and (executable near3 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 08:55
S12	94	((memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS)) and (executable near3 (memory or storage)) and (USB or universal serial bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 08:29
S13	90	lasser.in.	US-PGPUB; USPAT	ADJ	ON	2005/07/15 08:28
S14	165	MENAHM.in.	US-PGPUB; USPAT	ADJ	ON	2005/07/15 08:28
S15	23	S13 and S14	US-PGPUB; USPAT	ADJ	ON	2005/07/15 08:28
S16	1	(boot\$3).clm. and S15	US-PGPUB; USPAT	ADJ	ON	2005/07/15 08:28
S17	56	((memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS)) and (executable near3 (memory or storage)) and (USB or universal serial bus) and (((primary or first) and (secondary or second)) or plurality or multiple or many) near3 (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 08:55

S19	6	((first or primary) and (second or secondary))(memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS)) and (executable near3 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 08:58
S20	185	((first or primary) and (second or secondary)) near3 (memory or storage) and (boot\$3 or bootstrap\$4) same (operating system or OS)) and (executable near3 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 08:59
S23	16	((first or primary) and (second or secondary)) near3 (memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS)) and (executable near3 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 09:01
S24	4237	((first or primary) with executable with (memory or storage)) or ((second or secondary) with executable with (memory or storage)) same (boot\$3 or bootstrap\$4) same (OS or operating system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 09:04
S25	1049	((first or primary) near6 executable near6 (memory or storage)) or ((second or secondary) near6 executable near6 (memory or storage)) same (boot\$3 or bootstrap\$4) same (OS or operating system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 09:05
S26	5	((first or primary) near6 executable near6 (memory or storage)) and ((second or secondary) near6 executable near6 (memory or storage)) same (boot\$3 or bootstrap\$4) same (OS or operating system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 09:05
S27	40	((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) same (OS or operating system) and (executable near3 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 09:10
S28	34	S27 not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 09:06

S29	94	((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) and (executable near3 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 10:56
S30	21	((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) same (executable near3 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 09:56
S31	94	((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) and (executable near3 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 10:08
S32	3	((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) and (executable near3 (memory or storage)) and (("no" or lack\$3 or "without" or "with out" or "with-out") near3 (BIOS or basic input output system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 09:50
S33	180	(boot\$3 or bootstrap\$4) same (executable near3 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 09:56
S34	52	((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) and (executable near3 (memory or storage)) and (connect\$3 or link\$3) near4 (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 10:11
S36	71	(executable near3 (memory or storage)) with (boot or bootstrap\$4 or boot strap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 10:24
S38	17	711/115.ccls. and 713/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 08:08

S40	51	external BIOS or external basic input output system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 08:08
S48	12	removable (media or storage or medium) with (usb or universal serial bus) and (usb controller or universal serial bus controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 09:17
S49	2	removable (disk) with (usb or universal serial bus) and (usb controller or universal serial bus controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 09:17
S50	273	removable (disk or disc or media or storage or medium) with (usb or universal serial bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 09:24
S52	30	removable (disk or disc or media or storage or medium) with (usb or universal serial bus) and (usb near3 controller or universal serial bus near3 controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 09:38
S53	31	API near3 (usb or universal serial bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 09:33
S54	996	(usb or universal serial bus) near3 (speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 09:34
S55	17	(usb or universal serial bus) near3 (speed) near6 (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 09:34



S56	87	(usb or universal serial bus) near3 faster	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 09:39
S57	32206	(pin or lead) same (connect\$3 or link\$3) same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:14
S58	267	(pin or lead) same (connect\$3 or link\$3) same (first memory and second memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 10:01
S59	30	(pin or lead) same (connect\$3 or link\$3) same (first memory and second memory) same (host or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 10:02
S60	979	(pin or lead) with (connect\$3 or link\$3) with (memory or storage) with (host or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 10:07
S61	49	(pin or lead) with (connect\$3 or link\$3) with (host or computer) with (plurality or multiple or many) near3 (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 10:07
S62	894	boot code with (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 10:57
S63	443	boot code with (memory or storage) and (pin or lead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 10:57

S65	251	boot code with (memory or storage) and (pin or lead) same (connect\$3 or link\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 10:58
S66	73	boot code with (memory or storage) and (pin or lead) same (connect\$3 or link\$3) same (host or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 10:58
S67	39	boot code with (memory or storage) and (pin or lead) same (connect\$3 or link\$3) with (host or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/19 10:58
S68	54	(lpc or "low pin count") near2 protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 09:12
S69	1521	external\$2 near3 (boot\$3 or bootstrap\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 08:52
S70	219	external\$2 (boot\$3 or bootstrap\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 08:52
S71	18	external\$2 (boot\$3 or bootstrap\$3) and (BIOS or Basic input output system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 08:52
S72	711	(lpc or "low pin count") with (advantag\$4 or benefit or cost or speed or fast\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 09:10

S74	54	(lpc or "low pin count") near2 (advantag\$4 or benefit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 09:12
S77	3	(lpc or "low pin count") and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 09:13
S78	1	"20050005076"	US-PGPUB	ADJ	ON	2005/07/20 09:20
S81	59	flash faster	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 10:38
S82	252	(pin or lead) same (connect\$3 or link\$3) same (first memory) same (second memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:15
S84	70	(pin or lead) with (connect\$3 or link\$3) with ((first or primary) memory) with ((second or secondary) memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:16
S85	7	((pin or lead) with (connect\$3 or link\$3) with ((first or primary) memory) with ((second or secondary) memory)) and (boot\$3 or bootstrap\$3 or BIOS or basic input output system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:20
S87	6	(shar\$3 lead or shar\$3 pin) with (memory card or smart card or memory stick)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:25
S88	6	(shar\$3 lead or shar\$3 pin) with (memory card or smart card or memory stick or IC card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:25



S89	6	(shar\$3 lead or shar\$3 pin) with (SIMM card or memory card or smart card or memory stick or IC card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:32
S90	2	(shar\$3 lead or shar\$3 pin) with (SIMM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:26
S91	45	(shar\$3 lead or shar\$3 pin) with (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:28
S92	7	(common pin or common lead) with (SIMM card or memory card or smart card or memory stick or IC card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:34
S93	3851	(pin or lead) with (SIMM card or memory card or smart card or memory stick or IC card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:35
S94	87	(pin or lead) with (SIMM card or memory card or smart card or memory stick or IC card) with (shared or common)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:58
S96	12	(pin or lead) with (SIMM card or DIMM card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:42
S97	1349	(pin or lead) with (memory card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:42

S98	14	(pin or lead) with (memory card) with (multiple memory or plurality memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:44
S99	114	(SIMM card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 13:44
S10 0	2398	(SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (connect\$3 or link\$3) with (CPU or processor or host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:00
S10 1	98	(SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (connect\$3 or link\$3) with (CPU or processor or host) with (pin or lead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:03
S10 2	1	(SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (connect\$3 or link\$3) with (CPU or processor or host) with (first pin or first lead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:03
S10 3	32	(SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (first pin or first lead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:06
S10 4	6	(SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (unique pin or unique lead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:08
S10 6	3	(SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (separate pin or separate lead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:47

S10 7	22	(SIMM or DIMM or memory card or smart card or memory stick or IC card) and (memory) with (separate pin or separate lead or unique lead or unique pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:13
S10 8	197	(memory module) and (separate (pin or pad or lead) or unique (pin or pad or lead))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:14
S10 9	10	(memory module) with(separate (pin or pad or lead) or unique (pin or pad or lead))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:59
S11 0	67	"5913215"	USPAT	ADJ	ON	2005/07/20 14:34
S11 1	1	"5913215".pn.	USPAT	ADJ	ON	2005/07/20 14:34
S11 2	1	"6510503".pn.	USPAT	ADJ	ON	2005/07/20 14:35
S11 3	1	"6226757".pn.	USPAT	ADJ	ON	2005/07/20 14:39
S11 4	1	"5530754".pn.	USPAT	ADJ	ON	2005/07/20 14:39
S11 5	15	(memory (unit or device)) with(separate (pin or pad or lead) or unique (pin or pad or lead))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:45
S11 6	405	(SIMM or DIMM or memory card or smart card or memory stick or IC card) and (separate or unique) (pin or pad or lead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:55
S11 7	14	(SIMM or DIMM or memory card or smart card or memory stick or IC card) and (memory) near3 (separate or unique) (pin or pad or lead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:51
S11 8	1	"20040123060"	US-PGPUB	ADJ	ON	2005/07/20 14:51

S12 0	540	(SIMM or DIMM) with memory with (pin or lead or pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:56
S12 1	4	(SIMM or DIMM) with memory with (pin or lead or pad) with share\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 14:56
S12 3	10487	(SIMM or DIMM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 15:01
S12 4	238	(SIMM or DIMM).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/20 15:02

